

Kianoosh Hatami, PhD, PEng, FASCE, Professor of Civil Engineering
President's Associates Presidential Professor

School of Civil Engineering and Environmental Science (CEES)
University of Oklahoma, 202 West Boyd St., Room 334, Norman, OK, 73019-1024, USA
Tel.: (405) 325-3674 Fax: (405) 325-4217 E-mail: kianoosh@ou.edu
<http://kianoosh-hatami.oucreate.com/>

Refereed Journal Publications (*Denotes Student/Former Student Co-Author)

1. Xu P, Li T, Hatami K and Yang G, **2022**. Upper-bound limit analysis of MSE walls subjected to strip footing load. *Geosynthetics International*, in press.
2. Xu P, Li T, Hatami K, Yang G and Liang X, **2022**. Finite element limit analysis of load-bearing performance of reinforced slopes using a non-associated flow rule. *Geotextiles and Geomembranes*, 50(5), October 2022, 1020-1035, <https://doi.org/10.1016/j.geotexmem.2022.07.002>.
3. Mirzaeifar H, Hatami K and Abdi MR, **2022**. Pullout Testing and Particle Image Velocimetry (PIV) Analysis of Geogrid Reinforcement Embedded in Granular Drainage Layers. *Geotextiles and Geomembranes*, Ahead of Print, <https://doi.org/10.1016/j.geotexmem.2022.06.008>.
4. Xu P, Hatami K, Yang G, Li T and Liang X, **2022**. Influence of facing toe condition on the bearing capacity and failure mechanisms of full-height panel MSE walls under footing load. *Geosynthetics International*, ICE Publishing, Ahead of Print, <https://www.icevirtuallibrary.com/doi/abs/10.1680/jgein.21.00039a>.
5. Hatami K and Boutin J*, **2022**. Influence of backfill type on the load-bearing performance of GRS bridge abutments. *Geosynthetics International*, Ahead of Print <https://www.icevirtuallibrary.com/doi/abs/10.1680/jgein.21.00052>.
6. Xu P, Yang G, Li T and Hatami K, **2021**. Finite element limit analysis of bearing capacity of footing on back-to-back reinforced soil retaining walls. *Transportation Geotechnics*, <https://doi.org/10.1016/j.trgeo.2021.100596>.
7. Hatami K and Doger R*, **2021**. Load-Bearing Performance of Model GRS Bridge Abutments with Different Facing and Reinforcement Spacing Configurations. *Geotextiles and Geomembranes*, 49(5): 1139-1148, <https://doi.org/10.1016/j.geotexmem.2021.03.008>.
8. Xu P, Hatami K and Jiang G, **2021**. Shaking table study on the influence of ground motion frequency on the performance of MSE walls. *Soil Dynamics and Earthquake Engineering*, <https://doi.org/10.1016/j.soildyn.2021.106585>.
9. Xu P, Hatami K and Jiang G, **2021**. Shaking table performance of reinforced soil retaining walls with different facing configurations. *Geotextiles and Geomembranes*, <https://doi.org/10.1016/j.geotexmem.2020.10.003>.
10. Doger R* and Hatami K, **2020**. Influence of Facing on the Performance of GRS Bridge Abutments, *International Journal of Geosynthetics and Ground Engineering*, Springer, 6(4) Article number: 42, <https://doi.org/10.1007/s40891-020-00225-y>.
11. Xu P, Hatami K and Bao J-J and Li T, **2020**. Bearing capacity and failure mechanisms of two-tiered reinforced soil retaining walls under footing load. *Computers and Geotechnics*, 128, December, <https://doi.org/10.1016/j.compgeo.2020.103833>.

12. Xu P, Li T and Hatami K, **2020**. Limit analysis of bearing capacity and failure geometry of GRS bridge abutments. *Computers and Geotechnics*, 127, November, <https://doi.org/10.1016/j.compgeo.2020.103758>.
13. Xu P, Hatami K and Jiang G, **2020**. Centrifuge model study of reinforced soil walls with different backfill compaction densities. *Geosynthetics International*, 27(5): 538-550, <https://doi.org/10.1680/jgein.20.00018>.
14. Hassanikhah A*, Miller GA and Hatami K, **2020**. Laboratory Investigation of Unsaturated Clayey Soil-Geomembrane Interface Behavior using Suction-Controlled Direct Shear Tests. *Geosynthetics International*, 27(4): 379-393, <https://doi.org/10.1680/jgein.20.00002>.
15. Xu P, Hatami K and Jiang G, **2020**. Shaking table study on the influence of facing on reinforced soil wall connection loads. *Geosynthetics International*, 27(4): 364-378, <https://doi.org/10.1680/jgein.20.00001>.
16. Xu P, Hatami K and Jiang G, **2020**. Seismic rotational stability analysis of reinforced soil retaining walls. *Computers and Geotechnics*, 118 (February): 9p, [10.1016/j.compgeo.2019.103297](https://doi.org/10.1016/j.compgeo.2019.103297).
17. Xu P, Hatami K and Jiang, G, **2020**. Study on seismic stability and performance of reinforced soil walls using shaking table tests. *Geotextiles and Geomembranes*, 48(1): 82-97, (Most Downloaded *Geotextiles and Geomembranes* Articles), [10.1016/j.geotexmem.2019.103507](https://doi.org/10.1016/j.geotexmem.2019.103507).
18. Xu P, Hatami K and Jiang, G, **2019**. Seismic sliding stability analysis of reinforced soil retaining walls. *Geosynthetics International*, 26(5): 485-496, <https://doi.org/10.1680/jgein.19.00033>.
19. Xu P and Hatami K, **2019**. Sliding stability and lateral displacement analysis of reinforced soil retaining walls. *Geotextiles and Geomembranes*, 47(4): 483-492, (Most Downloaded *Geotextiles and Geomembranes* Articles), [10.1016/j.geotexmem.2019.03.004](https://doi.org/10.1016/j.geotexmem.2019.03.004).
20. Xu P, Hatami K and Li T, **2019**. Natural frequencies of full-height panel reinforced soil walls of variable cross-section. *Geosynthetics International*, Institution of Civil Engineers, London, UK, 26(3): 320-331, <https://doi.org/10.1680/jgein.19.00049>.
21. Yazdani H*, Ghasemi H, Wallace C and Hatami K, **2019**. Mechanical properties of carbon nanotube-filled polyethylene composites: A molecular dynamics simulation study. *Polymer Composites*, Society of Plastics Engineers, Wiley, 40(S2): E1850-E1861, DOI: 10.1002/pc.25175.
22. Yazdani H* and Hatami K, **2018**. Discussion Paper on “Laboratory tests on the engineering properties of sensor-enabled geobelts (SEGB)” by ‘Cui et al., *Geotextiles and Geomembranes*, 46 (2018) 66-76’, 46 (2018) 678-680.
23. Esmaili D* and Hatami K, **2017**. Comparative Study of Measured Suction in Fine-Grained Soil using Different In-Situ and Laboratory Techniques. *International Journal of Geosynthetics and Ground Engineering*, (3)27: 9p, September, (<https://link.springer.com/article/10.1007/s40891-017-0104-8>).
24. Yazdani H*, Hatami K and Eftekhari M, **2017**. Mechanical Properties of Single-Walled Carbon Nanotubes: A Comprehensive Molecular Dynamics Study. *Materials Research Express*, (4)3: 15p Institute of Physics (IOP) Publishing, UK, May (<http://iopscience.iop.org/article/10.1088/2053-1591/aa7003>).
25. Zheng Y*, Hatami K and Miller GA, **2017**. Numerical Modeling of the Wetting-Induced Settlement of Embankments. *Invited Paper, ASCE Journal of Performance of Constructed Facilities*, **Special**

issue on Unsaturated Soil-Related Geo-hazard, 31(3): 11p, June, ([http://dx.doi.org/10.1061/\(ASCE\)CF.1943-5509.0000993](http://dx.doi.org/10.1061/(ASCE)CF.1943-5509.0000993)).

26. Yazdani H*, Khatibinia M, Gharehbaghi S and Hatami K, **2017**. Probabilistic Performance-Based Optimum Seismic Design of RC Structures Considering Soil-Structure Interaction Effects. *ASCE-ASME Journal of Risk and Uncertainty and in Engineering Systems, Part A: Civil Engineering, Special Issue* on Interdisciplinary Applications of Reliability Analysis, Risk Analysis and Optimization, 3(2): 12p, June, DOI: 10.1061/AJRUA6.0000880.
27. Zheng Y*, Hatami K and Miller GA, **2017**. Influence of Compaction Moisture Content on Wetting-Induced Settlement of Embankments. *International Journal of Geosynthetics and Ground Engineering*, Springer, 3(1)-7: 10p (March), DOI 10.1007/s40891-017-0085-7.
28. Yazdani H* and Hatami K, **2016**. Sensor-Enabled Geogrids for Stabilization and Performance Monitoring of Earth Structures: State of Development. *International Journal of Geosynthetics and Ground Engineering*, Springer, 2(4)-37: 7p (December), DOI 10.1007/s40891-016-0077-z.
29. Hatami K, Esmaili D*, Chan E* and Miller GA, **2016**. Moisture Reduction Factors for Shear Strength of Unsaturated Reinforced Embankments. *Invited Paper, ASCE International Journal of Geomechanics, Special issue* on Experimental and Computational Geomechanics for Unsaturated Soils, 16(6), 10.1061/(ASCE)GM.1943-5622.0000624.
30. Yazdani H*, Smith BE and Hatami K, **2016**. Electrical conductivity and mechanical performance of multiwalled CNT-filled polyvinyl chloride composites subjected to tensile load. *Applied Polymer Science*, Wiley, 133(29) (DOI: 10.1002/APP.43665).
31. Yazdani H*, Smith BE and Hatami K, **2016**. Multi-walled carbon nanotube-filled polyvinyl chloride composites: influence of processing method on dispersion quality, electrical conductivity and mechanical properties. *Composites Part A: Applied Science and Manufacturing*, Elsevier, 82: 65-77.
32. Yazdani H*, Hatami K and Grady BP, **2016**. Sensor-Enabled Geogrids for Performance Monitoring of Reinforced Soil Structures. *ASTM Journal of Testing and Evaluation*, 44.01: 391-401.
33. Smith BE, Yazdani H* and Hatami K, **2015**. Three-dimensional imaging and quantitative analysis of dispersion and mechanical failure in filled nanocomposites, *Composites Part A: Applied Science and Manufacturing*, Elsevier, 79: 23-29.
34. Yazdani H* and Hatami K, **2015**. Failure criterion for graphene in biaxial loading – a molecular dynamics study. *Modelling and Simulation in Materials Science and Engineering*, Institute of Physics (IOP) Publishing, UK, 23(6): 14p.
35. Esmaili D* and Hatami K, **2015**. Measured Performance and Stability Analysis of Large-Scale Reinforced Model Embankments at Different Moisture Contents. *International Journal of Geosynthetics and Ground Engineering*, Springer, 1(3)-22: 16p (September).
36. Hatami K and Esmaili D*, **2015**. Unsaturated Soil-Woven Geotextile Interface Strength Properties from Small-Scale Pullout and Interface Tests. *Geosynthetics International*, 22(2): 161-172.
37. Yazdani H*, Hatami K, Khosravi E, Harper K* and Grady BP, **2014**. Strain-Sensitive Conductivity of Carbon Black-filled PVC Composites Subjected to Cyclic Loading. *CARBON*, Elsevier, 79: 393-405.

38. Hatami K, Esmaili D*, Chan E* and Miller GA, **2014**. Laboratory Performance of Reduced-Scale Reinforced Embankments at Different Moisture Contents. Invited Paper. *International Journal of Geotechnical Engineering*, Special Issue on Geosynthetics, 8(3): 260-276.
39. Esmaili D*, Hatami K and Miller GA, **2014**. Influence of matric suction on geotextile reinforcement marginal soil interface strength. *Geotextiles and Geomembranes*, 42(2): 139–153.
40. Hatami K, Hassanikhah A*, Yazdani H* and Grady BP, **2014**. Tensorresistive PVC Coating for Sensor-Enabled Geogrids. Invited Paper. *ASCE Journal of Nanomechanics and Micromechanics*, Special Issue on Mechanics of Nanocomposites and Nanostructures, 4(4): A4013016/1-14.
41. Hatami K, Mahmood T*, Ghabchi R* and Zaman M, **2013**. Influence of In-Isolation Properties of Geogrids on Their Pullout Performance in a Dense Graded Aggregate. Invited Paper. *Indian Geotechnical Journal*, Special Issue on Geosynthetic Engineering, December 2013, 43(4): 303-320.
42. Hatami K, Granados* JE, Esmaili D* and Miller GA, **2013**. Influence of Gravimetric Water Content on Geotextile Reinforcement Pullout Resistance in MSE Walls with Marginal Soils, *Transportation Research Record*, 2363: 66-74.
43. Yazdani H*, Hatami K and Khosravi, **2013**. Ant Colony Optimization Method for Design of Piled-Raft Foundations, *DFI Journal*, 7(2): 17-27.
44. Fathi A*, Hatami K and Grady BP, **2012**. Effect of Carbon Black Structure on Low-Strain Conductivity of Polypropylene and Low-Density Polyethylene Composites, *Polymer Engineering & Science*, 52(3): 549-556.
45. Mikola RG*, Hatami, K. and Doolin, D, **2011**. Elastic–plastic discontinuous deformation analysis using Mohr–Coulomb model, *Mining Technology*, 120(3): 148-157.
46. Khoury, CN, Miller, GA, & Hatami, K, **2011**. Unsaturated soil-geotextile interface behavior, *Geotextiles and Geomembranes*, 29(1): 17-28 (**Honorable Mention for Best Paper and Top 25 Hottest Articles in G&G in 2011**).
47. Huang, B, Bathurst, RJ, Hatami, K, & Allen, TM, **2010**. Influence of toe restraint on reinforced soil segmental walls, *Canadian Geotechnical Journal*, 47(8): 885–904.
48. Huang, B, Bathurst, RJ & Hatami, K, **2009**. Numerical study of reinforced soil segmental walls using three different constitutive soil models, *ASCE Journal of Geotechnical and Geoenvironmental Engineering*, 135(10): 1386-1398.
49. Hatami K, Grady BP and Ulmer MC*, **2009**. Sensor-Enabled Geosynthetics: use of conducting carbon networks as geosynthetics sensors. *ASCE Journal of Geotechnical and Geoenvironmental Engineering*, 135(7): 863-874 (**ASCE/Geo-Institute Thomas A. Middlebrooks Award in 2012; Most downloaded paper from the JGGE - Geotechnical Book News, ASCE, June 2009**).
50. Grayeli R* and Hatami K, **2009**. Response analysis of field-scale fully grouted standard cable bolts using a coupled ANN-FDM approach. *ASCE Journal of Engineering Mechanics*, 135(6): 561-570.
51. Hatami K. & Witthoef, AF*, **2008**. A numerical study on the use of Geofoam to increase the external stability of reinforced soil walls. *Geosynthetics International*, 15(6): 452-470.
52. Hatami K. Witthoef AF* and Jenkins LM*, **2008**. Influence of inadequate compaction near the facing

on the construction response of wrapped-face MSE walls. *Transportation Research Record*, 2045: 85-94 (Nominated for the best paper award in the Soil Mechanics Section by the TRB Geosynthetics Committee).

53. Grayeli R* and Hatami K, **2008**. Implementation of the finite element method in the three-dimensional discontinuous deformation analysis (3D-DDA). *International Journal for Numerical and Analytical Methods in Geomechanics*, John Wiley, 32(15): 1883-1902.
54. Beyabanaki AR, Grayeli R* & Hatami K, **2008**. Three-dimensional discontinuous deformation analysis (3D-DDA) using a new contact resolution algorithm. *Computers and Geotechnics*, Elsevier, 35(3): 346-356.
55. Hatami K and Raymond GP, **2006**. Influence of soil strength on the optimal embedment depth of a geosynthetic reinforcement layer in granular reinforced foundations. *Transportation Research Record*, 1975: 155-162.
56. Hatami K and Bathurst RJ, **2006**. Numerical model for reinforced soil segmental walls under surcharge loading, *ASCE Journal of Geotechnical and Geoenviron. Engineering*, 132(6): 673-684.
57. Hatami K and Bathurst RJ, **2005**. Development and verification of a numerical model for the analysis of geosynthetic reinforced-soil segmental walls under working stress conditions, *Canadian Geotechnical Journal*, 42(4): 1066-1085. (Sir Casimir Gzowski Medal by Canadian Society for Civil Engineering in 2005; Reprinted and presented at the Special Session for the Best Papers Published in the Canadian Geotechnical Journal at GeoAmericas 2008, The First Pan American Geosynthetics Conference & Exhibition, March 2008, Cancun, Mexico).
58. Hatami K, Bathurst RJ & Di Pietro P, **2001**. Static response of reinforced-soil retaining walls with non-uniform reinforcement. *ASCE International Journal of Geomechanics*, 1(4): 477-506.
59. Hatami K and Bathurst RJ, **2000**. Effect of structural design on fundamental frequency of reinforced-soil retaining walls. *Soil Dynamics and Earthquake Engineering*, 19(3): 137-157. (Also included in: International Workshop on Seismic Performance of Geosynthetic-Reinforced-Soil Structures, Sponsored by National Science Foundation, Columbia University, New York, NY, USA).
60. Bathurst RJ and Hatami K, **1998**. Seismic response analysis of a reinforced-soil retaining wall. *Geosynthetics International*, Special Issue on Earthquake Engineering, Industrial Fabrics Association International (IFAI), USA, 5(1-2): 127-166. (Also included in: International Workshop on Seismic Performance of Geosynthetic-Reinforced-soil Structures, Sponsored by National Science Foundation, Columbia University, New York, NY, USA, October 2000).
61. Hatami K, **1997**. Effect of reservoir bottom on earthquake response of concrete dams. *Soil Dynamics and Earthquake Engineering*, 16: 407-415.

Peer-Reviewed Book Contributions/Chapters (*Denotes Student/Former Student Co-Author)

1. Miller GA, Hamid TB, Khoury CN, Hassanikhah A* and Hatami K. **2022**. Unsaturated Soil Interfaces, Chapter 25, *DSC/HISS Modeling Application to Problems in Mechanics, Geomechanics and Structural Mechanics*, Editors: Desai, C.S.; Xiao, Y.; Zaman, M. and Carter, J., CRC Press, Taylor & Francis, Boca Raton, FL, USA.
2. Bathurst, R.J., Hatami, K. and Alfaro, M.C. **2021**. Geosynthetic-reinforced soil walls and slopes -

seismic aspects, [Chapter 19, Handbook of Geosynthetic Engineering](#), Third edition, Editor: S.K. Shukla, ICE Publishing, London, UK, 371-415.

3. Yazdani H*, Smith BE and Hatami K, **2016**. Multiscale 3D dispersion characterization of carbon nanotube-filled polymer composites using microscopic imaging and data mining. Chapter 6, *Carbon Nanotechnology*, Editors: W.I. Milne, M. Cole and S. Mitura, One Central Press, Manchester, UK, 135-158, <http://www.onecentralpress.com/carbon-nanotechnology/>.
4. Bathurst RJ, Hatami K, Alfaro M, **2012**. Geosynthetic-reinforced structures - seismic aspects, Chapter 16, *Handbook of Geosynthetic Engineering: Geosynthetics and Their Applications* (Editor: S.K. Shukla). ICE Publishing (Institution of Civil Engineers), London, UK, 317-363.
5. Bathurst, R.J., Huang B and Hatami, K. **2009**. Numerical modeling of geosynthetic reinforced soil walls. Chapter 4, *Linear and NonLinear Numerical Analysis of Foundations*, Editor: J. Bull, Taylor & Francis, New York, NY, 131-157.
6. Hatami K, Bathurst RJ, El-Emam MM, **2005**. Validation of numerical models for static and seismic analysis of reinforced soil walls. Contributions from the Symposium on Geosynthetics and Geosynthetic-Engineered Structures Honoring Robert M. Koerner, *McMat 2005, ASME/ASCE/SES joint Conference on Mechanics and Materials*, Louisiana State University, Baton Rouge, Louisiana, USA, June 2005, Editors: H.L. Ling, V.N. Kaliakin, D. Leshchinsky, Published by Columbia University, 171-202.
7. Bathurst RJ, Hatami K & Alfaro MC, **2002**. Geosynthetic reinforced-soil walls and slopes: Seismic Aspects. Chapter 14, *Geosynthetics and Their Applications*, Editor: S.K. Shukla, Thomas Telford Ltd., London, UK, 14: 327-392.
8. Bathurst RJ, Hatami K, Walters DL, Taleb B & Simac MR, **2001**. Geosynthetic reinforced-soil segmental retaining walls: A New Technology”, *Jubilee Volume, 75th Anniversary of K. Terzaghi’s “Erdbaumechanik” (“Soil Mechanics”)*, Vienna Technical University, Vienna, Austria: 5: 175-204.

Theses/Dissertations

1. Hatami K, **1997**. Effect of reservoir boundaries on seismic response of gravity dams, *Ph.D. Dissertation*, McMaster University, Hamilton, Ontario, Canada, xxvii, 267p.
2. Hatami K, **1991**. A study on the effects of suspended fine particles on drag reduction in open-channel flow, *M.Sc. Thesis*, Sharif University of Technology, Tehran, Iran.

Peer-Reviewed/Specialty Conference Papers including Special Volume/Keynote/Invited Papers (*Denotes Student/Former Student Co-Author)

1. Hatami K and Doger R*, **2021**. Load-bearing performance of GRS abutments with different facing alternatives. *Geosynthetics Conference 2021*, Kansas City, MO, February 2021.
2. Yazdani H* and Hatami K, **2016**. Sensor-Enabled Geogrids for Stabilization and Instrumentation of Earth Structures. *Fifth International Symposium on Life-Cycle Civil Engineering, IALCCE2016*, Delft, Netherlands, CRC Press, October, 1236-41.
3. Yazdani H*, Khatibinia M and Hatami K, **2015**. Probabilistic Optimization of Performance-Based Seismic Design of Structures considering Soil-Structure Interaction Effects. *Engineering Mechanics*

Institute Conference, Stanford, CA, June 2015, Paper #1715.

4. Yazdani H*, Hatami K and Khatibinia M, **2014**. Computational Intelligence in Structural Optimization. *10th Annual Conference in Computer Science*, Norman, OK, (Best Paper Award in the Conference).
5. Alston C, Ruel M, Hatami K and Howett D, **2014**. Stabilization of Railway Bridge Foundations, Fairchild Creek Viaduct near Brantford, Ontario. *GeoRegina, 67th Canadian Geotechnical Conference*, Regina, SK, Sep-Oct 2014.
6. Horton AS*, Fulton, CJ*, Ruyle JE and Hatami K, **2014**. Investigation of Electrical Properties of Clay Soil. Antenna Applications Symposium, *52nd Annual Allerton Conference on Communication, Control and Computing*, Allerton Park, Monticello, IL, Sep-Oct 2014.
7. Butko D, Holliday L, Reyes M*, Ramseyer C and Hatami K, **2013**. Returning to Earth: Analyzing and Designing Earthen Structures for Sustainable Design, *ACSA Fall Conference, Design Interventions for Changing Climates, Subtropical Cities 2013*, Fort Lauderdale, FL, October 2013.
8. Yazdani H*, Momeni M and Hatami K, **2013**. Micropiled-Raft Foundations for High-Rise Buildings on Soft Soils - A Case Study: Kerman, Iran. *7th International Conference on Case Histories in Geotechnical Engineering*, Chicago, IL, Apr-May 2013, Paper #2.40.
9. Yazdani H*, Hatami K, Hawa T and Grady BP, **2013**. Atomic-Scale Simulation of Sensor-Enabled Geosynthetics for Health Monitoring of Reinforced Soil Slopes and Embankments. *2013 Geo-Congress*, San Diego, CA, March 2013, Paper #207.
10. Zheng Y*, Hatami K and Miller GA, **2013**. Numerical Modeling of the Wetting-Induced Settlement of Embankments. *2013 Geo-Congress*, San Diego, CA, March 2013, Paper #8, 333-342.
11. Hatami K, Granados JE*, Esmaili D* and Miller GA, **2013**. Influence of Gravimetric Water Content on Geotextile Reinforcement Pullout Resistance in MSE Walls with Marginal Soils. *92nd TRB Annual Meeting*, Washington, DC, January 2013, Paper #13-3836.
12. Ghabchi R*, Mahmood T*, Hatami K and Zaman M, **2012**. Effect of Geogrid Type on Performance of Reinforced Dense-Graded Aggregate Base. *5th Asian Regional Conference on Geosynthetics (GA2012)*, Bangkok, Thailand, December 2012.
13. Hatami K, Esmaili D*, Granados JE* and Miller GA, **2012**. Pullout Response of Geotextile Reinforcement at Different Matric Suctions. *5th European Geosynthetics Congress*, Valencia, Spain, September 2012, Paper #136.
14. Yazdani H*, Hatami K, Hawa T and Grady BP, **2012**. Molecular Dynamics Simulation of Sensor-Enabled Geosynthetics. *TechConnect World 2012*, Santa Clara, CA, June 2012, Paper #918.
15. Mahmood T*, Hatami K, Ghabchi R* and Zaman M, **2012**. Pullout Performance of Geogrids with Different Junction Strength. *2012 Geo-Congress*, Oakland, CA, March 2012, Paper #1120.
16. Mahmood T*, Hatami K, Ghabchi R* and Zaman M, **2012**. Laboratory Investigation of Pullout Behavior of Non-Extruded Geogrids in a Base Aggregate. *91st TRB Annual Meeting*, Washington, DC, January 2012, Paper #12-4222.
17. Varnier JB* and Hatami K, **2011**. Seismic Response of Reinforced Soil Retaining Walls: Is PGA-

- Based Design Adequate? *GeoRisk 2011*, ASCE/Geo-Institute, Atlanta, GA, June 2011, Paper #107.
18. Hatami K, Fathi A* and Grady BP, **2011**. Development of Sensor-Enabled Geosynthetics (SEG) for Health Monitoring of Reinforced Soil Structures. *GeoFrontiers 2011*, Dallas, TX, March 2011, Paper #1425.
 19. Hatami K, Garcia LM* and Miller GA, **2011**. A Moisture Reduction Factor for Pullout Resistance of Geotextile Reinforcement in Marginal Soils. *GeoFrontiers 2011*, Dallas, TX, March 2011, Paper #1210.
 20. Hatami K, Wang Z*, Mahmood T*, Ghabchi R* and Zaman M, **2011**. In-Aggregate Testing of Unitized and Woven Geogrids for Base Reinforcement Applications. *GeoFrontiers 2011*, Dallas, TX, March 2011, Paper #1211.
 21. Hatami K, Ghabchi R*, Mahmood T* and Zaman M, **2011**. In-Aggregate Performance of Unitized and Woven Geogrids in Open-Graded and Dense-Graded Aggregates. *90th TRB Annual Meeting*, Paper No. 11-4078, January 2011, Washington, DC, USA.
 22. Hatami K, Garcia LM* & Miller, GA, **2010**. Influence of moisture content on the pullout capacity of geotextile reinforcement in marginal soils. *61st Highway Geology Symposium*, Oklahoma City, OK, August, 2010.
 23. Khoury*, CN, Miller, GA and Hatami, K, **2010**. Shear Strength of Unsaturated Soil-Geotextile Interfaces. *GeoFlorida 2010, ASCE Geotechnical Special Publication 199*: Geo-Institute, West Palm Beach, Florida, February 2010, 307-316.
 24. Bathurst, RJ, Huang, B & Hatami, K, **2008**. Numerical modeling of geosynthetic reinforced retaining walls. *Invited Paper, 12th International Conference of International Association for Computer Methods and Advances in Geomechanics (IACMAG)*, Goa, India, October 2008, 4071-4080.
 25. Hatami K, Khoury CN* & Miller, GA, **2008**. Suction-Controlled Testing of Soil-Geotextile Interfaces. *GeoAmericas 2008*, The First Pan American Geosynthetics Conference & Exhibition, March 2008, Cancun, Mexico, Paper No. 1236, pp. 262-271.
 26. Bathurst, RJ, Huang, B & Hatami, K, **2008**. Numerical study of the influence of reinforcement length and spacing on reinforced soil segmental walls of variable height. *GeoAmericas 2008*, The First Pan American Geosynthetics Conference & Exhibition, March 2008, Cancun, Mexico, Paper No. 1205, pp. 1256-1264.
 27. Hatami K, Witthoef, AF* & Jenkins, LM*, **2008**. Influence of Inadequate Compaction near the Facing on the Construction Response of Wrapped-Face MSE Walls. *87th TRB Annual Meeting*, Paper No. 08-625, January 2008, Washington, DC, USA.
 28. Huang B, Hatami K & Bathurst, RJ, **2007**. Parametric analysis of a 9-m high reinforced soil wall with different reinforcement materials and soil backfill, *5th International Symposium on Earth Reinforcement (IS Kyushu '07) - New Horizons in Earth Reinforcement*, Nov. 2007, Fukuoka, Japan.
 29. Huang B, Bathurst RJ & Hatami, K, **2007**. Numerical study of the influence of block interface stiffness on reinforced soil segmental walls of variable height. *OttawaGeo2007: 60th Canadian Geotechnical Conference (Diamond Jubilee)*, Ottawa, Ontario, Canada, October 2007.

30. Hatami K & Witthoeft AF*, **2007**. Reduction of backfill earth pressure in reinforced soil walls using geofoam. *86th TRB Annual Meeting*, Paper No. 07-2926, January 2007, Washington, DC, USA.
31. Bathurst RJ & Hatami K, **2006**. Parametric analysis of reinforced soil walls with different height and reinforcement stiffness. *8th International Conference on Geosynthetics (8ICG)*, Yokohama, Japan, September 2006, 1343-1346.
32. Bathurst RJ & Hatami K, **2006**. Physical to computational modeling of reinforced soil walls under static loading. Keynote Paper, *International Conference on Physical Modeling in Geotechnics, ICPMG 2006*, Hong Kong, China, August 2006, 1: 3-17.
33. Hatami K & Bathurst RJ, **2006**. A study on the seismic response of reinforced soil retaining walls to rocking ground excitation. *8th US National Conference on Earthquake Engineering*, 100th Anniversary Earthquake Conference Commemorating the 1906 San Francisco Earthquake, San Francisco, CA, USA, April 2006, Paper No. 1853, 10p.
34. Lim, HM, Zaman, M & Hatami, K, **2006**. Use of DMT for subsurface characterization: strengths and weaknesses. *2nd International Conference on the Flat Dilatometer*, Washington, DC, USA, April 2006, 213-219.
35. Hatami K & Raymond GP, **2006**. Influence of soil strength on the optimal embedment depth of a geosynthetic reinforcement layer in granular reinforced foundations. *85th TRB Annual Meeting*, Paper No. 06-1919, January 2006, Washington, DC, USA.
36. Hatami K & Bathurst RJ, **2005**. Parametric analysis of reinforced soil walls with different backfill material properties. *NAGS 2005/GRI-19 Conference*, Las Vegas, Nevada, USA, December 2005.
37. Hatami K, Bathurst RJ & El-Emam MM, **2005**. Acceleration amplification in the backfill of reinforced soil walls with different heights. *3rd Biot Conference on poromechanics*, Norman, Oklahoma, USA, May 2005, (Abousleiman, Cheng & Ulm Eds.), Balkema, London, 725-731.
38. Hatami K and Bathurst RJ, **2005**. Verification of a numerical model for reinforced-soil segmental retaining walls. *Geo-Frontiers 2005 Conference, ASCE Geotechnical Special Publication 140: Advances in Soil Reinforcement Applications II*, Austin, Texas, USA, January 2005, 10p.
39. El-Emam MM, Bathurst RJ & Hatami K, **2004**. Numerical parametric study of reinforced-soil walls subjected to earthquake load. *57th Canadian Geotechnical Conference*, October 2004, Québec City, Québec, Canada, G15.230, 7F: 27-34.
40. Hatami K & Bathurst RJ, **2004**. Numerical investigation of the influence of reinforcement configuration on construction response of reinforced-soil segmental walls. *57th Canadian Geotechnical Conference*, October 2004, Québec City, Québec, Canada, G15.70, 7F: 19-26.
41. Hatami K, Bathurst RJ, El-Emam MM & Allen T, **2004**. Numerical models for reinforced soil walls. *1st Canadian Young Geotechnical Engineers and Geoscientists Conference (CYGEGC)*, October 2004, Québec City, Québec, Canada, 6p.
42. Hatami K & Bathurst RJ, **2004**. Construction response of reinforced-soil segmental walls with different reinforcement spacing. *9th International Symposium on Numerical Models in Geomechanics, NUMOG IX*, Ottawa, Ontario, Canada, August 2004, 723-729.

43. El-Emam MM, Bathurst RJ & Hatami K, **2004**. Numerical modeling of reinforced-soil retaining walls subjected to base acceleration. *13th World Conference on Earthquake Engineering (13WCEE)*, Vancouver, BC, August 2004, paper #2621.
44. Bathurst RJ, Alfaro MC & Hatami K, **2004**. Pseudo-static seismic design of geosynthetic reinforced-soil retaining structures. *Asia Conference on Earthquake Engineering (ACEE) 2004*, Diverse Cultures, One Common Goal - Seismic Hazards and Loss Mitigation in Asia, Manila, Philippines, March 2004, 149-160.
45. Hatami K, Bathurst RJ & Allen TM, **2003**. A calibrated FLAC model for geosynthetic reinforced-soil modular block walls at end of construction. *3rd International Symposium on FLAC and FLAC3D Numerical Modeling in Geomechanics*, Sudbury, ON, Canada, Oct. 2003, Balkema, Lisse, 251-259.
46. Hatami K & Raymond GP, **2003**. Numerical simulation of foundation response to footing pressure. *12th Pan-American Conference on Soil Mechanics and Geotechnical Engineering - SARA 2003*, Boston, Massachusetts, USA, June 2003, 2: 1785-1792.
47. Hatami K & Bathurst RJ, **2002**. Numerical simulation of a segmental retaining wall under uniform surcharge loading. *55th Canadian Geotechnical Conference*, Niagara Falls, ON, October 2002.
48. Bathurst RJ, Walters DL, Hatami K, Saunders DD, Vlachopoulos N & Burgess GP, **2002**. Performance testing and numerical modeling of reinforced-soil retaining walls. *7th International Conference on Geosynthetics (7ICG)*, Nice, France, September 2002, 1: 217-220.
49. El-Emam, MM, Bathurst RJ & Hatami K, **2002**. Effect of reinforcement design on seismic response of reinforced-soil retaining walls. *International Conference on Physical Modeling in Geotechnics (ICPMG)*, St. John's, NF, Canada, July 2002, 1011-1016.
50. Hatami K, Blatz JA & Bathurst RJ, **2002**. Numerical modeling of geosynthetic reinforced-soil retaining walls and embankments. *2nd Canadian Specialty Conference on Computer Applications in Geotechnique*, Winnipeg, MB, Canada, April 2002.
51. Bathurst RJ, Walters DL, Hatami K & Allen TM, **2001**. Full-scale performance testing and numerical modeling of reinforced-soil retaining walls. Special Keynote Lecture, *International Symposium on Earth Reinforcement (IS-Kyushu 2001)*, Fukuoka, Kyushu, Japan, November 2001, Keynote Lectures Volume, 3-28.
52. El-Emam MM, Bathurst RJ, Hatami K & Mashhour MM, **2001**. Shaking table and numerical modeling of reinforced-soil walls. *International Symposium on Earth Reinforcement, IS-Kyushu 2001*, Fukuoka, Kyushu, Japan, November 2001, 1: 329-334.
53. Hatami K & Bathurst RJ, **2001**. Modeling static response of geosynthetic reinforced-soil segmental retaining wall using FLAC. *2nd International FLAC Symposium on Numerical Modeling in Geomechanics*, Lyon, France, October 2001, Balkema, Lisse, 223-231.
54. Hatami K & Bathurst RJ, **2001**. Investigation of seismic response of reinforced-soil retaining walls. *4th International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, March 2001, San Diego, CA, USA, Paper no. 7.18.
55. Bathurst RJ & Hatami K, **2001**. Review of numerical modeling of geosynthetic reinforced-soil walls. Invited Theme Paper, *10th International Conference on Computer Methods and Advances in*

Geomechanics, Tucson, AZ, USA, January 2001, 2: 1223-1232.

56. Hatami K, Bathurst RJ, Di Pietro P & Bianco PM, **2000**. Numerical study of retaining walls with non-uniform reinforcement. *2nd European Geosynthetics Conference: EuroGeo 2000*, Bologna, Italy, October 2000, 1: 219-224.
57. Walters DL, Hatami K, Bathurst RJ, Vlachopoulos N, Saunders DD, Burgess GP & Allen TM, **2000**. Full-scale testing and modeling of geosynthetic reinforced-soil retaining walls. *53rd Canadian Geotechnical Conference*, Montreal, QC, October 2000, 2: 1107-1114.
58. Bathurst RJ & Hatami K, **1999**. Earthquake response analysis of reinforced-soil retaining walls using FLAC. *International FLAC Symposium on Numerical Modeling in Geomechanics*, Minneapolis, Minnesota, September 1999, Balkema, Rotterdam, 407-415. (Also included in: *International Workshop on Seismic Performance of Geosynthetic-Reinforced-soil Structures*, Sponsored by National Science Foundation, Columbia University, New York, NY, USA, October 2000).
59. Hatami K & Bathurst RJ, **1999**. Frequency response analysis of reinforced-soil retaining walls. *8th Canadian Conference on Earthquake Engineering (8CCEE)*, Vancouver, BC, June 1999, 341-346.
60. Hatami K & Bathurst RJ, **1999**. Dynamic response of reinforced-soil retaining walls to ground motion, Part I: Numerical Model”, *17th Canadian Congress of Applied Mechanics, CANCAM 99*, May-June 1999, McMaster University, Hamilton, ON, 87-88.
61. Hatami K & Bathurst RJ, **1999**. Dynamic response of reinforced-soil retaining walls to ground motion, Part II: Parametric Analysis”, *17th Canadian Congress of Applied Mechanics, CANCAM 99*, May-June 1999, McMaster University, Hamilton, ON, 89-90.
62. Bathurst RJ & Hatami K, **1999**. Numerical study of the influence of base shaking on reinforced-soil retaining walls. *Geosynthetics '99*, Boston, MA, April 1999, 2, 963-976.
63. Hatami K, **1998**. A measure of dynamic response for seismic response analysis of concrete dams. *6th U.S. National Conference on Earthquake Engineering*, Seattle, WA, May-June 1998, p. 353, 12p.
64. Bathurst RJ & Hatami K, **1998**. Influence of reinforcement properties on seismic response and design of reinforced-soil retaining walls. *51st Canadian Geotechnical Conference*, Edmonton, Alberta, October 1998, 2: 479-486.
65. Bathurst RJ & Hatami K, **1998**. Influence of reinforcement stiffness, length and base condition on seismic response of geosynthetic reinforced retaining walls. *6th International Conference on Geosynthetics*, Atlanta, GA, USA, March 1998, 2: 613-616.
66. Hatami K, **1996**. A model for reservoir bottom absorption effects in seismic response analysis of concrete dams. 1st runner up in 1995 Student Paper Competition, *48th Annual Meeting of Earthquake Engineering Research Institute (EERI)*, Los Angeles, CA, February 1996.
67. Hatami K and Ghobarah A, **1995**. Reduction of seismic response of concrete gravity dams using hydrodynamic isolation. *7th Canadian Conference on Earthquake Engineering (7CCEE)*, Montreal, QC, June 1995, 333-340.

Selected Final Research Project Reports (*Denotes Student/Former Student Co-Author)

1. Hatami K, Chaves Camargo JA* and Ritz M*. **2022**. Web-Based Repository of GRS-IBS Projects in the United States, *Final Report, Task Order No. 2160-22-10*, ODOT, Oklahoma City, OK, June 2022, 28p.
2. Hatami K, **2021**. Influence of Backfill Properties on GRS-IBS Stability and Performance, *Final Project Report to OU VPRP Office, Faculty Investment Program*, Norman, OK, December 2021, 18p.
3. Hatami K, **2021**. ODOT special provisions for high-strength geotextiles and geogrids: Phase I - Tensile strength properties of high-strength geotextiles for highway reinforcement and stabilization applications, *Final Report, Task Order No. 2160-21-07*, ODOT, Oklahoma City, OK, July 2021, 23p.
4. Hatami K and Chaves Camargo JA*. **2021**. Comparison of Construction Costs Between GRS-IBS and Conventional Bridges in Oklahoma, *Final Report, Task Order No. 2160-20-05*, ODOT, Oklahoma City, OK, May 2021, 49p.
5. Hatami K, Doger R*, Boutin J*, **2020**. Feasibility Study of GRS Systems for Bridge Abutments in Oklahoma: Influence of Facing and Aggregate Fill on Performance, *Final Report No. FHWA-OK-19-09, ODOT SP&R ITEM NUMBER 2262*, ODOT, Oklahoma City, OK, January 2020, 43p.
6. Hatami K, **2018**. Retrofitting CEB Walls against Natural Hazards for Affordable Building Construction, *Final Project Report to OU VPR Office, Faculty Investment Program*, December 2018, Norman, OK, 34p.
7. Hatami K, Gregory G, Garland GS*, **2018**. Guide to Repairing Shallow Slope Failures using Fiber Reinforced Soil (FRS) Technology, *Final Report No. SPTC15.1-24*, Southern Plains Transportation Center (SPTC), Norman, OK, 337p.
8. Hatami K, Pena L*, Ngo T* and Miller GA, **2017**. Feasibility Study of GRS-IBS for Bridge Abutments in Oklahoma. *Final Report No. FHWA-OK-16-07, ODOT SP&R ITEM NUMBER 2262*, ODOT, Oklahoma City, OK, May 2017, 488p.
9. Hatami K, Miller GA and Esmaili D*, **2015**. Prototype Reinforced Soil Embankment for Reconstruction of the US-62 Slope Failure in Chickasha, OK. *Final Report No. FHWA-OK-15-03, ODOT SP&R ITEM NUMBER 2160*, ODOT, Oklahoma City, OK, January 2015, 72p.
10. Hatami K, Mahmood T* and Pereira-Villarroel J.* **2013**. Field Verification of Geogrid Properties for Base Course Reinforcement Applications. *Final Report No. FHWA-OK-13-11, ODOT SP&R ITEM NUMBER 2244*, ODOT, Oklahoma City, OK, November 2013, 215p.
11. Hatami K and Grady BP. **2013**. Developing Sensor-Enabled Geosynthetics using Conducting Carbon Networks: A Proof-of-Concept Study. *Final Technical and Project Outcomes Report, NSF-CMMI-1030613*, November 2013.
12. Miller GA, Hatami K, Cerato AB, Osborne C* and Zheng Y*, **2013**. Applied Approach Slab Settlement Research, Design/Construction. *Final Draft Report No. FHWA-OK-XX-XX, ODOT SP&R ITEM NUMBER 2227*, ODOT, Oklahoma City, OK, August 2013, 162p.
13. Zaman M, Hatami K, Commuri S, Cross S, Lewis S. **2013**. Enhancing Facilities for Asphalt & Education: Sharing to Gain. *Final Report No. OTCREOS10.2-11-F*, OkTC, Midwest City, OK, May.

14. Hatami K, Miller GA, Esmaili D* and Chan E*, **2013**. Prototype Reinforced Soil Embankment for Reconstruction of US 62 Slope Failure in Chickasha, OK, *Final Report to Oklahoma Transportation Center, Report No. OTCREOS11.1-26-F*, May 2013.
15. Hatami K, Miller GA and Granados JE*, **2012**. Influence of Backfill Moisture Content on the Pullout Capacity of Geotextile Reinforcement in MSE Walls, *Final Report to Oklahoma Transportation Center, Report No. OTCREOS10.1-18-F*, Dec 2012.
16. Hatami K Mahmood T*, Zaman M and Ghabchi R*, **2012**. Development of ODOT Guidelines for the Use of Geogrids in Aggregate Bases. *Final Report No. OTCREOS9.1-23*, Oklahoma Transportation Center, Midwest City, OK, November 2012, 238p.
17. Hatami K Mahmood T*, Zaman M and Ghabchi R*, **2012**. Development of ODOT Guidelines for the Use of Geogrids in Aggregate Bases. *Final Report No. FHWA-OK-12-04, ODOT SP&R ITEM NUMBER 2220*, Oklahoma Department of Transportation, Oklahoma City, OK, March 2012, 209p.
18. Hatami K, Miller GA and Garcia LM*, **2009**. Use of MSE Technology to Stabilize Highway Embankments and Slopes in Oklahoma, *Final Report to Oklahoma Transportation Center, Report No. OTCREOS7.1-19-F*, September 2009.

Other Articles/Invited Presentations (*Denotes Student/Former Student Co-Author)

1. Hatami K, **2021**. Use of Plastics in Infrastructure Development and Renewal. OLLI Short Course (4 Weeks), Osher Lifelong Learning Institute, The University of Oklahoma, Norman, OK, September.
2. Hatami K, Doger R* and Boutin, J*, **2020**. Feasibility Study of GRS Systems for Bridge Abutments in Oklahoma: Influence of Facing and Aggregate Fill on Performance. *ODOT Research Highlighter*, Oklahoma Department of Transportation, Office of Research & Implementation, July 2020, 2p, <https://oklahoma.gov/content/dam/ok/en/odot/documents/research/highlighter-2262-fhwa-ok-19-09.pdf>
3. Hatami K, **2019**. State of GRS-IBS Research and Practice in Oklahoma. *2019 Oklahoma Transportation Research Day*, November 5, 2019, Midwest City, OK.
4. Hatami K, Gregory G and Garland, GS*, **2018**. Guidelines for the use of Fiber-Reinforced Soil (FRS) in Highway Construction. *ODOT Research Highlighter*, Oklahoma Department of Transportation, Office of Research & Implementation, December 2018, 2p, <https://oklahoma.gov/content/dam/ok/en/odot/documents/research/highlighter-2160-sptc15.1-24-f.pdf>; SPTC Tech Brief: <http://www.sptc.org/projects/>
5. Hatami K, Miller GA and Esmaili D*, **2015**. Prototype Reinforced Soil Embankment for Reconstruction of the US-62 Slope Failure. *ODOT Research Highlighter*, Oklahoma Department of Transportation, Office of Research & Implementation, December 2015, 2p, http://www.okladot.state.ok.us/Research/Highlighter_2160_FHWA-OK-15-03.pdf.
6. Hatami K, **2015**. Interface Shear Strength in Unsaturated Reinforced Embankments from Multi-Scale Laboratory Tests. *2015 Oklahoma Transportation Research Day*, October 20, 2015, Moore, OK.
7. Hatami K, **2014**. Climatic Effects on the Stability of Reinforced Soil Slopes and Embankments Supporting Roads and Highways. Invited Article. *Southern Plains Transportation Center (SPTC)*

Newsletter, Fall 2014, Norman, OK, 15-16.

8. Hatami K, **2012**. Plastic Surgery: Use of Smart Geosynthetics in Health-Monitoring of Infrastructure. Invited Article. *CEES Communiqué*, OU, Norman, OK, USA, Summer 2012, 9-13.
9. Hatami K and Bathurst RJ, **2012**. Special Section on Geomechanics and Geosynthetics. Editorial Introduction, *ASCE International Journal of Geomechanics*, 12(4): 339.
10. Hatami K, Hassanikhah A*, Yazdani H* and Grady BP, **2012**. Developing Sensor-Enabled Geosynthetics Using Conducting Carbon Networks. *2012 NSF CMMI Engineering Research and Innovation Conference*, Boston, MA, July 2012, #1030613.
11. Hatami K, Garcia LM*, Granados JE*, Esmaili D* and Miller GA, **2012**. Influence of Matric Suction on Pullout Capacity of Geotextile Reinforcement in Marginal Soils. *ASTM Workshop on Innovations in Characterizing the Mechanical and Hydrological Properties of Unsaturated Soils*, San Diego, CA, June 2012.
12. Hatami K, Grady BP and Ulmer MC*, **2011**. Closure to: “Sensor-Enabled Geosynthetics: use of conducting carbon networks as geosynthetics sensors”. *ASCE Journal of Geotechnical and Geoenvironmental Engineering*, 137(4): 435-436.
13. Hatami K, **2011**. Use of MSE Technology to Stabilize Highway Embankments and Slopes in Oklahoma, *ODOT-OkTC Transportation Research Day*, October 11, 2011, ODOT, OKC, OK.
14. Hatami K, Miller GA and Esmaili D*, **2010**. Measuring Soil Suction in Reinforced Soil Slopes and Embankments for Highway Construction and Repair Applications. *ODOT-OTC Transportation Research Day*, October 14, 2010, ODOT, Oklahoma City, OK.
15. Hatami K, **2010**. ASCE Midwest Regional GeoCompetition at the University of Oklahoma. *OSPE Central/SW Chapter Meeting*, Oklahoma Society of Professional Engineers, May 2010, Oklahoma City, OK.
16. Hatami K, Miller GA and Garcia LM*, **2009**. Use of MSE technology in reconstruction and retrofitting highway slopes and embankments. *ODOT-OTC Transportation Research Day*, October 7, 2009, ODOT, Oklahoma City, OK.
17. Hatami K, **2008**. Advancing the use of mechanically stabilized earth for slope construction and repair. Invited Article. *Oklahoma Transportation Center Newsletter*, Tulsa, OK, Fall 2008, 8-9.
18. Hatami K and Wang Z*, **2008**. Geogrid properties in ODOT’s specifications manual. *ODOT-OTC Transportation Research Day*, October 15, 2008, ODOT, Oklahoma City, OK.
19. Hatami K, Bathurst RJ, El-Emam MM & Allen TM. **2005**. Validation of numerical models for static and seismic analysis of reinforced soil walls. *McMat 2005, ASME/ASCE/SES joint Conference on Mechanics and Materials*, Louisiana State University, Baton Rouge, Louisiana, USA, June 2005.
20. Hatami K, **2001**. Even dams can tremble. *Robert and Joyce Jones Speaker Series*, Department of Civil Engineering, Queen’s University, Kingston, ON.
21. Bathurst RJ, Hatami K & Gaskin A, **1999**. Reduction of seismic earth pressure on rigid retaining walls using geoinclusions. *9th International Conference on Soil Dynamics and earthquake Engineering, SDEE '99*, Bergen, Norway, August 1999, p. 134.

22. Hatami K, **1996**. Absorption of Seismic Pressure Waves in Reservoirs. Invited Article. *Canadian Association of Earthquake Engineering Newsletter*, December 1996, 3-6.
23. Hatami K & Ghobarah A, **1996**. Reservoir bottom absorption effects in seismic response analysis of concrete dams. *CANCOLD/CDSA Conference*, October 1996, Niagara Falls, ON, 352.